

IMPORTANT NOTE FROM CADDY STORAGE:

Measurements below do not include cylinder. Cylinders can measure 100mm to 250mm or more.


Check your cylinder size before choosing your gas bottle box.

NB: Container sizes may vary from state to state.



specialist solutions, dependable service, trusted advice

R134a Refrigerant Gas



PACKAGING

Valves

The shut off valves are manufactured according to AS 2473-1996. The cylinder valve has a bursting disc which will release if the contents of the cylinder reach a pressure greater than approximately: 26,000 kPa

Single cylinders

Coregas cylinders are designed, built and tested according to Australian Standard: AS 2030 Part 1.

Equipment

Only regulators, manifolds and ancillary equipment rated for the appropriate pressure and compatible with the relevant gas shall be connected to, or downstream from these cylinders.

NB: Container sizes may vary from state to state.

All cylinders dimensions are approximate. Slight variations to the table below may occur due to manufacturing tolerances. Typical height with cylinders include the valve.

For all your gas orders please contact the Coregas customer service centre:

1800 807 203

R134a	R134a
22kg	65kg
22	65
22	65
32.2	84.4
10.2	19.4
387	387
Туре 34	Туре 34
dual service single outlet	dual service single outlet
505	855
310	375
	22kg 22 22 32.2 10.2 387 Type 34 dual service single outlet 505

CLASSIFICATIONS	TYPICAL ANALYSIS	PHYSICAL CHARACTERISTICS	
UN No: 3159	Tetraflouroethane ≥ 99.9%	Chemical Formula: $C_2H_2F_4$	
EAC / Hazchem: 2RE		Colour: Colourless	
Class: 2.2		Odour: Slight Odour	
SDS: 10831015			
Above as per ADG 7			



Phone: 1800 807 203 Email: info@coregas.com

www.coregas.com